

**NIELSEN****SAFETY DATA SHEET
SHAMPOO & WAX****SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier****Product name** SHAMPOO & WAX**Internal identification** L055**1.2. Relevant identified uses of the substance or mixture and uses advised against****Identified uses** Cleaning agent.**Uses advised against** Use only for intended applications.**1.3. Details of the supplier of the safety data sheet****Supplier** NIELSEN CHEMICALS
RAWDON ROAD
MOIRA
SWADLINCOTE
DERBYSHIRE
DE12 6DA
TEL: +44 (0) 1283 222277
FAX: +44 (0) 1283 225731
info@nielsenchemicals.com**1.4. Emergency telephone number****Emergency telephone** +44 (0) 777 8505 330 (24 hrs). +44 (0) 1865 407333 (24 hrs). MEDICAL AND ENVIRONMENTAL EMERGENCIES ONLY.**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification (EC 1272/2008)****Physical hazards** Not Classified**Health hazards** Eye Irrit. 2 - H319**Environmental hazards** Not Classified**2.2. Label elements****Pictogram****Signal word** Warning**Hazard statements** H319 Causes serious eye irritation.

SHAMPOO & WAX

Precautionary statements P280 Wear protective gloves, eye and face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/ attention.
 P501 Dispose of contents/ container in accordance with national regulations.

Detergent labelling 5 - < 15% anionic surfactants, < 5% amphoteric surfactants, < 5% non-ionic surfactants, < 5% perfumes, Contains N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine, METHYLISOTHIAZOLINONE, 1,2-BENZOISOTHIAZOL-3(2H)-ONE, METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

COCO AMIDO PROPYL BETAINE 1-5%
CAS number: 61789-40-0 EC number: 931-296-8 REACH registration number: 01-2119488533-30-xxxx
Classification Eye Dam. 1 - H318 Aquatic Chronic 3 - H412
Alcohols, C12-C14 (even numbered), ethoxylated<2.5EO, sulphates, sodium salts 1-5%
CAS number: 68891-38-3 EC number: 500-234-8 REACH registration number: 01-2119488639-16-XXXX
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412
Amides, C8-18 (even numbers) and C18-unsatd, N,N-bis(hydroxyethyl) 1-5%
CAS number: 68155-07-7 EC number: 931-329-6 REACH registration number: 01-2119490100-53-xxxx
Classification Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411

SHAMPOO & WAX

D-Glucopyranose. oligomeric, C8-C10 glycosides <1%		
CAS number: 68515-73-1	EC number: 500-220-1	REACH registration number: 01-2119488530-36-XXXX
Classification Eye Dam. 1 - H318		
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine <1%		
CAS number: 2372-82-9	EC number: 219-145-8	
M factor (Acute) = 10	M factor (Chronic) = 1	
Classification Acute Tox. 3 - H301 Skin Corr. 1A - H314 Eye Dam. 1 - H318 STOT RE 2 - H373 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
2-METHYL-2H-ISOTHIAZOL-3-ONE <1%		
CAS number: 2682-20-4	EC number: 220-239-6	
M factor (Acute) = 10		
Classification Acute Tox. 3 - H301 Acute Tox. 3 - H311 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335 Aquatic Acute 1 - H400		
1,2-BENZISOTHIAZOL-3(2H)-ONE <1%		
CAS number: 2634-33-5	EC number: 220-120-9	
M factor (Acute) = 1		
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Acute 1 - H400		

SHAMPOO & WAX

METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6 CAS number: 55965-84-9 M factor (Acute) = 10 M factor (Chronic) = 10	<1%
Classification Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Show this Safety Data Sheet to the medical personnel.
Inhalation	Remove person to fresh air and keep comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention.
Skin contact	Rinse with water.
Eye contact	Rinse immediately with plenty of water. Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids wide apart. Get medical attention if symptoms are severe or persist after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Coughing, chest tightness, feeling of chest pressure.
Ingestion	Gastrointestinal symptoms, including upset stomach.
Skin contact	Product has a defatting effect on skin.
Eye contact	Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Ammonia or amines. Carbon monoxide (CO). Carbon dioxide (CO ₂). Nitrous gases (NO _x). Sulphurous gases (SO _x).
--------------------------------------	---

5.3. Advice for firefighters

Protective actions during firefighting	No specific firefighting precautions known.
---	---

SHAMPOO & WAX

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Do not touch or walk into spilled material. Avoid contact with skin, eyes and clothing. Take care as floors and other surfaces may become slippery. Avoid contact with contaminated tools and objects. Wash thoroughly after dealing with a spillage. Avoid contact with contaminated tools and objects. Do not handle broken packages without protective equipment. Wash thoroughly after dealing with a spillage.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective gloves, eye and face protection. Avoid contact with skin, eyes and clothing. Avoid contact with contaminated tools and objects. Do not reuse empty containers. Do not use in paint spraying equipment. Do not empty into drains. Do not eat, drink or smoke when using this product. Do not handle broken packages without protective equipment. Wash hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store at temperatures between 4°C and 40°C.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

COCO AMIDO PROPYL BETAINE (CAS: 61789-40-0)

DNEL	Industry - Dermal; Long term systemic effects: 12.5 Consumer - Dermal; Long term systemic effects: 7.5 mg/kg/day Industry - Inhalation; Long term systemic effects: 44 mg/m ³
PNEC	- Fresh water; 0.0135 mg/l - STP; 300 mg/l - Soil; 0.8 mg/kg - Sediment (Marinewater); 0.1 mg/kg - Sediment (Freshwater); 1 mg/kg - Marine water; 0.00135 mg/l

SHAMPOO & WAX

Alcohols, C12-C14 (even numbered), ethoxylated<2.5EO, sulphates, sodium salts (CAS: 68891-38-3)

DNEL Industry - Dermal; Long term : 2050 mg/kg/day
 Industry - Inhalation; Long term : 175 mg/m³
 Consumer - Oral; Long term : 15 mg/kg/day
 Consumer - Dermal; Long term : 1650 mg/kg/day
 Consumer - Inhalation; Long term : 52 mg/m³

PNEC - Fresh water; 0.24 mg/l
 - Marine water; 0.024 mg/l
 - Intermittent release; 0.071 mg/l
 - Sediment (Freshwater); 5.45 mg/kg
 - Sediment (Marinewater); 0.545 mg/kg
 - Soil; 0.946 mg/kg
 - STP; 10000 mg/l

Amides, C8-18 (even numbers) and C18-unsatd, N,N-bis(hydroxyethyl) (CAS: 68155-07-7)

DNEL Industry - Dermal; Long term systemic effects: 4.16 mg/kg/day
 Industry - Inhalation; Long term systemic effects: 73.4 mg/m³
 Consumer - Dermal; Long term systemic effects: 2.5 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 21.73 mg/m³
 Consumer - Oral; Long term systemic effects: 6.25 mg/kg/day

PNEC - Fresh water; 0.007 mg/l
 - Marine water; 0.0007 mg/l
 - Intermittent release; 0.0024 mg/l
 - STP; 830 mg/l
 - Soil; 0.0348 mg/l
 - Sediment (Freshwater); 0.195 mg/kg
 - Sediment (Marinewater); 0.0195 mg/kg

D-Glucopyranose. oligomeric, C8-C10 glycosides (CAS: 68515-73-1)

DNEL Workers - Dermal; Long term systemic effects: 595000 mg/kg/day
 Workers - Inhalation; Long term systemic effects: 420 mg/m³
 Consumer - Dermal; Long term systemic effects: 357000 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 124 mg/m³
 Consumer - Oral; Long term systemic effects: 35.7 mg/kg/day

PNEC - Fresh water; 0.176 mg/l
 - Marine water; 0.0176 mg/l
 - STP; 560 mg/l
 - Soil; 0.654 mg/kg
 - Sediment (Freshwater); mg/kg
 - Sediment (Marinewater); mg/kg
 - Intermittent release; mg/l

8.2. Exposure controls

Protective equipment



SHAMPOO & WAX

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. The selected gloves should have a breakthrough time of at least 4 hours. The breakthrough time for any glove material may be different for different glove manufacturers. Protective gloves should have a minimum thickness of 0.12 mm. Glove thickness is not necessarily a good measure of glove resistance as the permeation rate will depend on the exact glove composition. When used with mixtures, the protection time of gloves cannot be accurately estimated. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. For work of short duration or where a high degree of manual dexterity is needed, use protective gloves made of: Nitrile rubber. Neoprene. Rubber (natural, latex). Repeated exposure to chemicals will degrade the ability of the glove to provide resistance to chemicals. Specific work environments and material handling practices may vary, therefore safety procedures should be developed for each intended application. The choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use.

Hygiene measures

Wash hands thoroughly after handling.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Blue.
Odour	Fruity.
pH	pH (concentrated solution): 7.0
Relative density	1.02 @ 25°C
Solubility(ies)	Soluble in water.
Viscosity	1000 cP @ 25°C

9.2. Other information

Other information	Not determined.
-------------------	-----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Not determined.
------------------------------------	-----------------

10.4. Conditions to avoid

SHAMPOO & WAX

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion products may include the following substances: Ammonia or amines. Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrous gases (NO_x). Sulphurous gases (SO_x).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - dermal

ATE dermal (mg/kg) 159,196.38

Inhalation Coughing, chest tightness, feeling of chest pressure.

Ingestion Gastrointestinal symptoms, including upset stomach.

Skin contact Product has a defatting effect on skin.

Eye contact Causes serious eye irritation.

Toxicological information on ingredients.

COCO AMIDO PROPYL BETAINE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 5,000.0

Species Rat

Alcohols, C12-C14 (even numbered), ethoxylated<2.5EO, sulphates, sodium salts

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 2,001.0

Species Rat

Notes (oral LD₅₀)

ATE oral (mg/kg) 2,001.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,001.0

Species Rat

ATE dermal (mg/kg) 2,001.0

Amides, C8-18 (even numbers) and C18-unsatd, N,N-bis(hydroxyethyl)

Acute toxicity - oral

SHAMPOO & WAX

Acute toxicity oral (LD₅₀ mg/kg) 5,000.0

Species Rat

ATE oral (mg/kg) 5,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,000.0

Species Rat

ATE dermal (mg/kg) 2,000.0

D-Glucopyranose. oligomeric, C8-C10 glycosides

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 2,001.0

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,001.0

Species Rabbit

ATE dermal (mg/kg) 2,001.0

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 871.0

Species Rat

ATE oral (mg/kg) 100.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,001.0

Species Rat

ATE dermal (mg/kg) 2,001.0

1,2-BENZISOTHIAZOL-3(2H)-ONE

Acute toxicity - oral

ATE oral (mg/kg) 500.0

METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 53.0

SHAMPOO & WAX

Species	Rat
Notes (oral LD₅₀)	Estimated value.
ATE oral (mg/kg)	53.0
<u>Acute toxicity - dermal</u>	
ATE dermal (mg/kg)	300.0
<u>Acute toxicity - inhalation</u>	
ATE inhalation (vapours mg/l)	3.0
<u>Skin sensitisation</u>	
Skin sensitisation	Guinea pig maximization test (GPMT) - Guinea pig: Sensitising.

SECTION 12: Ecological Information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish Not determined.

Ecological information on ingredients.

COCO AMIDO PROPYL BETAINE

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 1.11 mg/l, Pimephales promelas (Fat-head Minnow)
LC₅₀, 96 hours: 1.1 mg/l, Cyprinodon variegatus (Sheepshead minnow)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 1.9 mg/l, Freshwater invertebrates
EC₅₀, : 0.3 mg/l, Freshwater invertebrates
EC₅₀, 48 hours: 21.5 mg/l mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 48 hours: 30.0 mg/l, Marinewater algae

Alcohols, C12-C14 (even numbered), ethoxylated<2.5EO, sulphates, sodium salts

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 7.1 mg/l, Brachydanio rerio (Zebra Fish)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 7.4 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 72 hours: 27 mg/l, Scenedesmus subspicatus

Amides, C8-18 (even numbers) and C18-unsatd, N,N-bis(hydroxyethyl)

Acute aquatic toxicity

Acute toxicity - aquatic invertebrates EC₅₀, : 3.2 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, : 3.9 mg/l,

SHAMPOO & WAX

Chronic aquatic toxicity

Chronic toxicity - aquatic invertebrates NOEC, 21 days: 0.07 mg/l, Daphnia magna

D-Glucopyranose. oligomeric, C8-C10 glycosides

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >100 mg/l, Freshwater fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: >100 mg/l, Daphnia magna

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

Acute aquatic toxicity

LE(C)₅₀ 0.01 < L(E)C₅₀ ≤ 0.1

M factor (Acute) 10

Acute toxicity - fish LC₅₀, 96 hours: 0.68 mg/l, Oncorhynchus mykiss (Rainbow trout)
LC₅₀, 96 hours: 0.45 mg/l, Lepomis macrochirus (Bluegill)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 0.073 mg/l, Daphnia magna
NOEC, 21 days: 0.024 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 96 hours: 0.054 mg/l, Pseudokirchneriella subcapitata
NOEC, 72 hours: 0.0069 mg/l, Desmodemus subspicatus

Acute toxicity - microorganisms EC₅₀, 3 hours: 18 mg/l, Activated sludge

Chronic aquatic toxicity

M factor (Chronic) 1

2-METHYL-2H-ISOTHIAZOL-3-ONE

Acute aquatic toxicity

LE(C)₅₀ 0.01 < L(E)C₅₀ ≤ 0.1

M factor (Acute) 10

1,2-BENZISOTHIAZOL-3(2H)-ONE

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6

Acute aquatic toxicity

LE(C)₅₀ 0.01 < L(E)C₅₀ ≤ 0.1

M factor (Acute) 10

Acute toxicity - fish Estimated value.
LC₅₀, 96 hours: 13 mg/l, Fish

Chronic aquatic toxicity

SHAMPOO & WAX

NOEC	0.001 < NOEC ≤ 0.01
Degradability	Non-rapidly degradable
M factor (Chronic)	10

12.2. Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility Soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

Special Provisions note

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Transport labels

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SHAMPOO & WAX

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Control of Substances Hazardous to Health Regulations 2002 (as amended).
EU legislation	Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Commission Regulation (EU) No 2015/830 of 28 May 2015.
Guidance	Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	ATE: Acute Toxicity Estimate. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. EC ₅₀ : 50% of maximal Effective Concentration. GHS: Globally Harmonized System. IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods. LC ₅₀ : Lethal Concentration to 50 % of a test population. NOEC: No Observed Effect Concentration. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail. UN: United Nations. vPvB: Very Persistent and Very Bioaccumulative.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	30/01/2018
Revision	2.5
Supersedes date	20/11/2017
SDS number	26393

SHAMPOO & WAX

Hazard statements in full

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H335 May cause respiratory irritation.
H373 May cause damage to organs (Kidneys) through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.