



# NIELSEN

## SAFETY DATA SHEET TERMINEX

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name                    TERMINEX

Internal identification        L351

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses                Disinfectant.

Uses advised against        Use only for intended applications.

#### 1.3. Details of the supplier of the safety data sheet

Supplier                        NIELSEN CHEMICALS  
RAWDON ROAD  
MOIRA  
SWADLINCOTE  
DERBYSHIRE  
DE12 6DA  
TEL: +44 (0) 1283 222277  
FAX: +44 (0) 1283 225731  
info@nielsenchemicals.com

#### 1.4. Emergency telephone number

Emergency telephone        +44 (0) 777 8505 330 (24 hrs). +44 (0) 1865 407333 (24 hrs). MEDICAL AND ENVIRONMENTAL EMERGENCIES ONLY.

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

Physical hazards              Not Classified

Health hazards                Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

Environmental hazards      Aquatic Chronic 3 - H412

#### 2.2. Label elements

Pictogram



Signal word                    Warning

Hazard statements            H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H412 Harmful to aquatic life with long lasting effects.

# TERMINEX

<b>Precautionary statements</b>	<p>P273 Avoid release to the environment.</p> <p>P264 Wash hands thoroughly after handling.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P280 Wear protective gloves, eye and face protection.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p> <p>P332+P313 If skin irritation occurs: Get medical advice/ attention.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
<b>Detergent labelling</b>	< 5% anionic surfactants, < 5% disinfectants, < 5% non-ionic surfactants, < 5% NTA (nitrilotriacetic acid) and salts thereof

## 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine</b>	<b>1-5%</b>
CAS number: 2372-82-9	EC number: 219-145-8
M factor (Acute) = 10	M factor (Chronic) = 1
<b>Classification</b>	
Acute Tox. 3 - H301	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	
STOT RE 2 - H373	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	
<b>TRISODIUM NITRILOTRIACETATE</b>	<b>&lt;1%</b>
CAS number: 5064-31-3	EC number: 225-768-6
	REACH registration number: 01-2119519239-36-XXXX
<b>Classification</b>	
Acute Tox. 4 - H302	
Eye Irrit. 2 - H319	
Carc. 2 - H351	
<b>ALCOHOL ETHOXYLATE</b>	<b>&lt;1%</b>
CAS number: 157627-86-6	
M factor (Acute) = 1	
<b>Classification</b>	
Eye Dam. 1 - H318	
Aquatic Acute 1 - H400	
Aquatic Chronic 3 - H412	

# TERMINEX

<b>2-BUTOXYETHANOL</b>			<b>&lt;1%</b>
CAS number: 111-76-2	EC number: 203-905-0	REACH registration number: 01-2119475108-36-XXXX	
<b>Classification</b> Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319			

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General information</b>	Show this Safety Data Sheet to the medical personnel.
<b>Inhalation</b>	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
<b>Ingestion</b>	Rinse mouth thoroughly with water. DO NOT induce vomiting. Get medical attention immediately.
<b>Skin contact</b>	Rinse immediately with plenty of water. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Coughing, chest tightness, feeling of chest pressure.
<b>Ingestion</b>	Gastrointestinal symptoms, including upset stomach.
<b>Skin contact</b>	Causes skin irritation.
<b>Eye contact</b>	Causes serious eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

### 5.2. Special hazards arising from the substance or mixture

<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Ammonia or amines. Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ). Nitrous gases (NO <sub>x</sub> ). Sulphurous gases (SO <sub>x</sub> ).
--------------------------------------	---

### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	No specific firefighting precautions known.
---	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

## TERMINEX

**Personal precautions** Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Do not touch or walk into spilled material. Avoid contact with skin, eyes and clothing. Take care as floors and other surfaces may become slippery. Avoid contact with contaminated tools and objects. Do not handle broken packages without protective equipment. Wash thoroughly after dealing with a spillage.

### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Absorb spillage with inert, damp, non-combustible material. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** To avoid risks to human health and the environment, comply with the instructions for use. Read label before use. Use biocides safely. Always read the label and product information before use. Wear protective gloves, eye and face protection. Avoid contact with skin, eyes and clothing. Avoid release to the environment. Do not reuse empty containers. Do not empty into drains. Do not eat, drink or smoke when using this product. Do not handle broken packages without protective equipment. Wash hands thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store at temperatures between 4°C and 40°C.

**Storage class** Chemical storage.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

#### **2-BUTOXYETHANOL**

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m<sup>3</sup>

Sk

WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

#### ALCOHOL ETHOXYLATE (CAS: 157627-86-6)

#### **DNEL**

General population - Oral; Long term systemic effects: 25 mg/kg/day

General population - Dermal; Long term systemic effects: 1250 mg/kg/day

General population - Inhalation; Long term systemic effects: 87 mg/m<sup>3</sup>

Workers - Dermal; Long term systemic effects: 2080 mg/kg/day

## TERMINEX

### ISOTRIDECANOL ETHOXYLATE (CAS: 69011-36-5)

<b>DNEL</b>	Workers - Inhalation; Long term systemic effects: 294 mg/m <sup>3</sup>
	Workers - Dermal; Long term systemic effects: 2080 mg/kg/day
	General population - Inhalation; Long term systemic effects: 87 mg/m <sup>3</sup>
	General population - Dermal; Long term systemic effects: 1250 mg/kg/day
	General population - Oral; Long term systemic effects: 25 mg/kg/day
<b>PNEC</b>	- Fresh water; 0.074 mg/l
	- Marine water; 0.0074 mg/l
	- STP; 1.4 mg/l
	- Sediment (Freshwater); 0.604 mg/kg
	- Sediment (Marinewater); 0.0604 mg/kg
	- Soil; 0.1 mg/kg

### Alcohols, C12-C14 (even numbered), ethoxylated<2.5EO, sulphates, sodium salts (CAS: 68891-38-3)

<b>DNEL</b>	Industry - Dermal; Long term : 2050 mg/kg/day
	Industry - Inhalation; Long term : 175 mg/m <sup>3</sup>
	Consumer - Oral; Long term : 15 mg/kg/day
	Consumer - Dermal; Long term : 1650 mg/kg/day
	Consumer - Inhalation; Long term : 52 mg/m <sup>3</sup>
<b>PNEC</b>	- Fresh water; 0.24 mg/l
	- Marine water; 0.024 mg/l
	- Intermittent release; 0.071 mg/l
	- Sediment (Freshwater); 5.45 mg/kg
	- Sediment (Marinewater); 0.545 mg/kg
	- Soil; 0.946 mg/kg
- STP; 10000 mg/l	

### 2-BUTOXYETHANOL (CAS: 111-76-2)

<b>DNEL</b>	Industry - Dermal; Short term systemic effects: 89 mg/kg/day
	Industry - Inhalation; Short term systemic effects: 663 mg/m <sup>3</sup>
	Industry - Dermal; Long term systemic effects: 75 mg/kg/day
	Industry - Inhalation; Long term systemic effects: 98 mg/m <sup>3</sup>
	Consumer - Dermal; Short term systemic effects: 44.5 mg/kg
	Consumer - Inhalation; Short term systemic effects: 426 mg/m <sup>3</sup>
	Consumer - Oral; Short term systemic effects: 13.4 mg/m <sup>3</sup>
	Consumer - Dermal; Long term systemic effects: 38 mg/kg
	Consumer - Oral; Long term systemic effects: 3.2 mg/kg
	Consumer - Inhalation; Long term systemic effects: 49 mg/kg
	Consumer - Inhalation; local effects: 123 mg/kg
	Industry - Inhalation; local effects: 246 mg/m <sup>3</sup>
	<b>PNEC</b>
- Marine water; 0.88 mg/l	
- Sediment (Freshwater); 34.6 mg/kg	
- Soil; 2.8 mg/kg	
- STP; 463 mg/l	
- Sediment (Marinewater); 3.46	

## 8.2. Exposure controls

# TERMINEX

## Protective equipment



### Appropriate engineering controls

Provide adequate ventilation.

### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. The selected gloves should have a breakthrough time of at least 4 hours. The breakthrough time for any glove material may be different for different glove manufacturers. When used with mixtures, the protection time of gloves cannot be accurately estimated. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Protective gloves should have a minimum thickness of 0.12 mm. Glove thickness is not necessarily a good measure of glove resistance as the permeation rate will depend on the exact glove composition. For work of short duration or where a high degree of manual dexterity is needed, use protective gloves made of: Nitrile rubber. Neoprene. Rubber (natural, latex). Specific work environments and material handling practices may vary, therefore safety procedures should be developed for each intended application. Repeated exposure to chemicals will degrade the ability of the glove to provide resistance to chemicals. The choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use.

### Hygiene measures

Wash hands thoroughly after handling.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Straw.
Odour	Characteristic.
pH	pH (concentrated solution): 10.2
Relative density	1.01 @ 20°C
Solubility(ies)	Completely soluble in water.

### 9.2. Other information

Other information	Not determined.
-------------------	-----------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
------------	---

### 10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

## TERMINEX

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Not determined.

### 10.4. Conditions to avoid

**Conditions to avoid** There are no known conditions that are likely to result in a hazardous situation.

### 10.5. Incompatible materials

**Materials to avoid** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Thermal decomposition or combustion products may include the following substances: Ammonia or amines. Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Nitrous gases (NO<sub>x</sub>). Sulphurous gases (SO<sub>x</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity - oral

**ATE oral (mg/kg)** 5,324.81

**Inhalation** Coughing, chest tightness, feeling of chest pressure.

**Ingestion** Gastrointestinal symptoms, including upset stomach.

**Skin contact** Causes skin irritation.

**Eye contact** Causes serious eye irritation.

#### Toxicological information on ingredients.

#### N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

##### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 871.0

**Species** Rat

**ATE oral (mg/kg)** 100.0

##### Acute toxicity - dermal

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 2,001.0

**Species** Rat

**ATE dermal (mg/kg)** 2,001.0

#### 2,2',2"-NITRILOTRIETHANOL

##### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 5,001.0

**Species** Rat

**TERMINEX**

ATE oral (mg/kg) 5,001.0

**TRISODIUM NITRILOTRIACETATE****Acute toxicity - oral**

Acute toxicity oral (LD<sub>50</sub> mg/kg) 1,470.0

Species Rat

ATE oral (mg/kg) 1,470.0

**Acute toxicity - dermal**

Acute toxicity dermal (LD<sub>50</sub> mg/kg) 2,000.1

Species Rabbit

ATE dermal (mg/kg) 2,000.1

**Acute toxicity - inhalation**

Acute toxicity inhalation (LC<sub>50</sub> dust/mist mg/l) 5.01

Species Rat

ATE inhalation (dusts/mists mg/l) 5.01

**ALCOHOL ETHOXYLATE****Acute toxicity - oral**

Acute toxicity oral (LD<sub>50</sub> mg/kg) 5,000.0

Species Rat

**Acute toxicity - dermal**

Acute toxicity dermal (LD<sub>50</sub> mg/kg) 2,001.0

Species Rat

**ISOTRIDECANOL ETHOXYLATE****Acute toxicity - oral**

ATE oral (mg/kg) 500.0

**Acute toxicity - dermal**

Acute toxicity dermal (LD<sub>50</sub> mg/kg) 8,430.0

Species Rabbit

ATE dermal (mg/kg) 8,430.0

**Alcohols, C12-C14 (even numbered), ethoxylated<2.5EO, sulphates, sodium salts****Acute toxicity - oral**



**TERMINEX**

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 2,001.0

**Species** Rat

**Notes (oral LD<sub>50</sub>)**

**ATE oral (mg/kg)** 2,001.0

**Acute toxicity - dermal**

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 2,001.0

**Species** Rat

**ATE dermal (mg/kg)** 2,001.0

**2-BUTOXYETHANOL****Acute toxicity - oral**

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 1,746.0

**Species** Rat

**ATE oral (mg/kg)** 1,746.0

**Acute toxicity - dermal**

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 1,060.0

**Species** Rabbit

**ATE dermal (mg/kg)** 1,060.0

**Acute toxicity - inhalation**

**Notes (inhalation LC<sub>50</sub>)**

**ATE inhalation (vapours mg/l)** 11.0

**SECTION 12: Ecological Information**

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

**12.1. Toxicity****Acute aquatic toxicity**

**Acute toxicity - fish** Not determined.

**Ecological information on ingredients.****N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine****Acute aquatic toxicity**

**LE(C)<sub>50</sub>** 0.01 < L(E)C50 ≤ 0.1

**M factor (Acute)** 10

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 0.68 mg/l, *Oncorhynchus mykiss* (Rainbow trout)  
LC<sub>50</sub>, 96 hours: 0.45 mg/l, *Lepomis macrochirus* (Bluegill)

## TERMINEX

<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 0.073 mg/l, Daphnia magna NOEC, 21 days: 0.024 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , 96 hours: 0.054 mg/l, Pseudokirchneriella subcapitata NOEC, 72 hours: 0.0069 mg/l, Desmodesmus subspicatus
<b>Acute toxicity - microorganisms</b>	EC <sub>50</sub> , 3 hours: 18 mg/l, Activated sludge
<b><u>Chronic aquatic toxicity</u></b>	
<b>M factor (Chronic)</b>	1

### 2,2',2"-NITRILOTRIETHANOL

<b><u>Acute aquatic toxicity</u></b>	
<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: < 7900 mg/l,
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: > 2500 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	IC <sub>50</sub> , 72 hours: 216 mg/l,

### ALCOHOL ETHOXYLATE

<b><u>Acute aquatic toxicity</u></b>	
<b>LE(C)<sub>50</sub></b>	0.1 < L(E)C <sub>50</sub> ≤ 1
<b>M factor (Acute)</b>	1
<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: 1 - 10 mg/l,
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 1 - 10 mg/l, Daphnia magna

### ISOTRIDECANOL ETHOXYLATE

<b><u>Acute aquatic toxicity</u></b>	
<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: >1 - 10 mg/l, Fish
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: >1 - 10 mg/l, Daphnia magna

### Alcohols, C12-C14 (even numbered), ethoxylated<2.5EO, sulphates, sodium salts

<b><u>Acute aquatic toxicity</u></b>	
<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: 7.1 mg/l, Brachydanio rerio (Zebra Fish)
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 7.4 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , 72 hours: 27 mg/l, Scenedesmus subspicatus

### 2-BUTOXYETHANOL

<b><u>Acute aquatic toxicity</u></b>	
<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: 820 - 1490 mg/l, Fish

## TERMINEX

**Acute toxicity - aquatic invertebrates**      EC<sub>50</sub>, 48 hours: 835 - 1550 mg/l, Daphnia magna

**Acute toxicity - aquatic plants**      IC<sub>50</sub>, 72 hours: 1840 mg/l, Algae

### 12.2. Persistence and degradability

**Persistence and degradability**      The product is expected to be biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential**      The product does not contain any substances expected to be bioaccumulating.

### 12.4. Mobility in soil

**Mobility**      The product is soluble in water.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment**      This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects**      Not determined.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods**      Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.

## SECTION 14: Transport information

**General**      The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### **Special Provisions note**

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

# TERMINEX

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>National regulations</b>	Control of Substances Hazardous to Health Regulations 2002 (as amended).
<b>EU legislation</b>	Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Commission Regulation (EU) No 2015/830 of 28 May 2015.
<b>Guidance</b>	Workplace Exposure Limits EH40.

### 15.2. Chemical safety assessment

## SECTION 16: Other information

<b>Abbreviations and acronyms used in the safety data sheet</b>	ATE: Acute Toxicity Estimate. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. EC <sub>50</sub> : 50% of maximal Effective Concentration. IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods. LC <sub>50</sub> : Lethal Concentration to 50 % of a test population. LD <sub>50</sub> : Lethal Dose to 50% of a test population (Median Lethal Dose). NOEC: No Observed Effect Concentration. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. UN: United Nations. vPvB: Very Persistent and Very Bioaccumulative. IBC: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk (International Bulk Chemical Code). MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
<b>Revision comments</b>	NOTE: Lines within the margin indicate significant changes from the previous revision.
<b>Revision date</b>	20/11/2017
<b>Revision</b>	4.0
<b>Supersedes date</b>	14/04/2016
<b>SDS number</b>	25952

## TERMINEX

### Hazard statements in full

H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H351 Suspected of causing cancer.  
H373 May cause damage to organs (Kidneys) through prolonged or repeated exposure.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.