



NIELSEN

SAFETY DATA SHEET BUSTER

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name BUSTER
Internal identification L586

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.
Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier NIELSEN CHEMICALS
RAWDON ROAD
MOIRA
SWADLINCOTE
DERBYSHIRE
DE12 6DA
TEL: +44 (0) 1283 222277
FAX: +44 (0) 1283 225731
info@nielsenchemicals.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 777 8505 330 (24 hrs). +44 (0) 1865 407333 (24 hrs). MEDICAL AND ENVIRONMENTAL EMERGENCIES ONLY.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318
Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word Danger
Hazard statements H315 Causes skin irritation.
H318 Causes serious eye damage.

BUSTER

Precautionary statements	<p>P280 Wear protective gloves, eye and face protection.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P310 Immediately call a POISON CENTER/ doctor.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
Contains	SODIUM DODECYL BENZENE SULPHONATE, DISODIUM METASILICATE
Detergent labelling	< 5% aliphatic hydrocarbons, < 5% anionic surfactants, < 5% non-ionic surfactants, < 5% perfumes, Contains d-LIMONENE, 1,2-BENZOISOTHIAZOL-3(2H)-ONE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

2-BUTOXYETHANOL		1-5%
CAS number: 111-76-2	EC number: 203-905-0	REACH registration number: 01-2119475108-36-XXXX
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Acute Tox. 4 - H332		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
SODIUM DODECYL BENZENE SULPHONATE		1-5%
CAS number: 85117-50-6	EC number: 285-600-2	
Classification		
Acute Tox. 4 - H302		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
DISODIUM METASILICATE		1-5%
CAS number: 6834-92-0	EC number: 229-912-9	REACH registration number: 01-2119449811-37-XXXX
Classification		
Met. Corr. 1 - H290		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
STOT SE 3 - H335		

BUSTER

tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate	<1%
CAS number: 51981-21-6 EC number: 257-573-7 REACH registration number: 01-2119493601-38-XXXX	
Classification Not Classified	
Alcohols, C12-C14 (even numbered), ethoxylated<2.5EO, sulphates, sodium salts	<1%
CAS number: 68891-38-3 EC number: 500-234-8 REACH registration number: 01-2119488639-16-XXXX	
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412	
ALCOHOL C9-11 ETHOXYLATE	<1%
CAS number: 68439-46-3	
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318	
DIPROPYLENE GLYCOL n-BUTYL ETHER	<1%
CAS number: 29911-28-2 EC number: 249-951-5 REACH registration number: 01-2119451543-42-XXXX	
Classification Not Classified	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Coughing, chest tightness, feeling of chest pressure.
Ingestion	Gastrointestinal symptoms, including upset stomach.
Skin contact	Causes skin irritation.

BUSTER

Eye contact Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Carbon dioxide (CO₂). Sulphurous gases (SO_x).

5.3. Advice for firefighters

Protective actions during firefighting No specific firefighting precautions known.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Take care as floors and other surfaces may become slippery. Do not touch or walk into spilled material. Avoid contact with skin, eyes and clothing. Do not handle broken packages without protective equipment. Avoid contact with contaminated tools and objects. Wash thoroughly after dealing with a spillage.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Absorb spillage with inert, damp, non-combustible material. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective gloves, eye and face protection. Avoid contact with skin, eyes and clothing. Avoid release to the environment. Avoid contact with contaminated tools and objects. Do not reuse empty containers. Do not use in paint spraying equipment. Do not empty into drains. Do not eat, drink or smoke when using this product. Do not handle broken packages without protective equipment. Wash hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store at temperatures between 4°C and 40°C.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

BUSTER

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

2-BUTOXYETHANOL

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m³

Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m³

Sk

WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

2-BUTOXYETHANOL (CAS: 111-76-2)

DNEL	Industry - Dermal; Short term systemic effects: 89 mg/kg/day Industry - Inhalation; Short term systemic effects: 663 mg/m ³ Industry - Dermal; Long term systemic effects: 75 mg/kg/day Industry - Inhalation; Long term systemic effects: 98 mg/m ³ Consumer - Dermal; Short term systemic effects: 44.5 mg/kg Consumer - Inhalation; Short term systemic effects: 426 mg/m ³ Consumer - Oral; Short term systemic effects: 13.4 mg/m ³ Consumer - Dermal; Long term systemic effects: 38 mg/kg Consumer - Oral; Long term systemic effects: 3.2 mg/kg Consumer - Inhalation; Long term systemic effects: 49 mg/kg Consumer - Inhalation; local effects: 123 mg/kg Industry - Inhalation; local effects: 246 mg/m ³
PNEC	- Fresh water; 8.8 mg/l - Marine water; 0.88 mg/l - Sediment (Freshwater); 34.6 mg/kg - Soil; 2.8 mg/kg - STP; 463 mg/l - Sediment (Marinewater); 3.46

DISODIUM METASILICATE (CAS: 6834-92-0)

DNEL	Industry - Dermal; Long term : 1.49 mg/kg/day Industry - Inhalation; Long term : 6.22 mg/m ³ Consumer - Dermal; Long term : 0.74 mg/kg/day Consumer - Inhalation; Long term : 1.55 mg/m ³ Consumer - Oral; Long term : 0.74
-------------	---

tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (CAS: 51981-21-6)

DNEL	Workers - Inhalation; Long term systemic effects: 7.3 mg/m ³ Workers - Dermal; Long term systemic effects: 15,000 mg/kg/day General population - Inhalation; Long term systemic effects: 1.8 mg/m ³ General population - Dermal; Long term systemic effects: 7,500 mg/kg/day General population - Oral; Long term systemic effects: 1.5 mg/kg/day
-------------	---

Alcohols, C12-C14 (even numbered), ethoxylated<2.5EO, sulphates, sodium salts (CAS: 68891-38-3)

BUSTER

DNEL

Industry - Dermal; Long term : 2050 mg/kg/day
 Industry - Inhalation; Long term : 175 mg/m³
 Consumer - Oral; Long term : 15 mg/kg/day
 Consumer - Dermal; Long term : 1650 mg/kg/day
 Consumer - Inhalation; Long term : 52 mg/m³

PNEC

- Fresh water; 0.24 mg/l
- Marine water; 0.024 mg/l
- Intermittent release; 0.071 mg/l
- Sediment (Freshwater); 5.45 mg/kg
- Sediment (Marinewater); 0.545 mg/kg
- Soil; 0.946 mg/kg
- STP; 10000 mg/l

ALCOHOL C9-11 ETHOXYLATE (CAS: 68439-46-3)

DNEL

Workers - Inhalation; Long term systemic effects: 294 mg/m³
 Workers - Dermal; Long term systemic effects: 2080 mg/kg/day
 General population - Inhalation; Long term systemic effects: 87 mg/m³
 General population - Dermal; Long term systemic effects: 1250 mg/kg/day
 General population - Oral; Long term systemic effects: 25 mg/kg/day

PNEC

- Fresh water; 0.10379 mg/l
- Marine water; 0.10379 mg/l
- Fresh water, Intermittent release; 0.014 mg/l
- Sediment (Freshwater); 13.7 mg/kg
- Sediment (Marinewater); 13.7 mg/kg
- Soil; 1 mg/kg
- STP; 1.4 mg/l

DIPROPYLENE GLYCOL n-BUTYL ETHER (CAS: 29911-28-2)

DNEL

Professional - Dermal; Long term systemic effects: 3 mg/kg/day
 Professional - Inhalation; Long term systemic effects: 10 mg/m³
 Consumer - Dermal; Long term systemic effects: 1.1 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 1.2 mg/m³
 Consumer - Oral; Long term systemic effects: 7.5 mg/kg/day

PNEC

- Fresh water; 0.519 mg/l
- Marine water; .0519 mg/l
- Sediment (Freshwater); 2.96 mg/kg
- Soil; 0.287 mg/kg
- STP; 100 mg/l
- Sediment (Marinewater); 0.296 mg/kg
- Intermittent release; 5.19 mg/l

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

BUSTER

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. The selected gloves should have a breakthrough time of at least 4 hours. The breakthrough time for any glove material may be different for different glove manufacturers. When used with mixtures, the protection time of gloves cannot be accurately estimated. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Protective gloves should have a minimum thickness of 0.15 mm. Glove thickness is not necessarily a good measure of glove resistance as the permeation rate will depend on the exact glove composition. For work of short duration or where a high degree of manual dexterity is needed, use protective gloves made of: Nitrile rubber. Neoprene. Rubber (natural, latex). Specific work environments and material handling practices may vary, therefore safety procedures should be developed for each intended application. Repeated exposure to chemicals will degrade the ability of the glove to provide resistance to chemicals. The choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use.

Hygiene measures

Wash hands after handling.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Light (or pale). Straw.
Odour	Pleasant, agreeable.
pH	pH (concentrated solution): 12.8
Relative density	1.02 @ 25°C
Solubility(ies)	Completely soluble in water.

9.2. Other information

Other information	Not determined.
-------------------	-----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	Reactions with the following materials may generate heat: Acids.
------------	--

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Not determined.
------------------------------------	-----------------

10.4. Conditions to avoid

Conditions to avoid	None known.
---------------------	-------------

BUSTER

10.5. Incompatible materials

Materials to avoid Reactions with the following materials may generate heat: Acids. Acids.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO₂). Carbon monoxide (CO). Sulphurous gases (SO_x).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 27,773.97

Acute toxicity - dermal

ATE dermal (mg/kg) 61,627.91

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 639.53

Skin corrosion/irritation

Skin corrosion/irritation Not corrosive to skin. Irritating to skin. Read-across data.

Human skin model test

Cell Viability 100 + 101% 3 minutes Cell Viability 109 + 105% 1 hour Not corrosive to skin.

Extreme pH

≥ 11.5 Not corrosive to skin.

Serious eye damage/irritation

Serious eye damage/irritation Corrosivity to eyes is assumed. Causes serious eye damage.

Inhalation

Coughing, chest tightness, feeling of chest pressure.

Ingestion

Gastrointestinal symptoms, including upset stomach.

Skin contact

Causes skin irritation.

Eye contact

Causes serious eye damage.

Toxicological information on ingredients.

2-BUTOXYETHANOL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,746.0

Species Rat

ATE oral (mg/kg) 1,746.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 1,060.0

Species Rabbit

ATE dermal (mg/kg) 1,060.0

Acute toxicity - inhalation

Notes (inhalation LC₅₀)

BUSTER

ATE inhalation (vapours
mg/l) 11.0

SODIUM DODECYL BENZENE SULPHONATE**Acute toxicity - oral**

Acute toxicity oral (LD₅₀
mg/kg) 650.0

Species Rat

ATE oral (mg/kg) 650.0

DISODIUM METASILICATE**Acute toxicity - dermal**

Acute toxicity dermal (LD₅₀
mg/kg) 5,000.0

Species Rat

ATE dermal (mg/kg) 5,000.0

tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate**Acute toxicity - oral**

Acute toxicity oral (LD₅₀
mg/kg) 2,001.0

Species Rat

ATE oral (mg/kg) 2,001.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 2,000.1

Species Rat

ATE dermal (mg/kg) 2,000.1

Alcohols, C12-C14 (even numbered), ethoxylated<2.5EO, sulphates, sodium salts**Acute toxicity - oral**

Acute toxicity oral (LD₅₀
mg/kg) 2,001.0

Species Rat

Notes (oral LD₅₀)

ATE oral (mg/kg) 2,001.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 2,001.0

Species Rat

ATE dermal (mg/kg) 2,001.0

BUSTER**ALCOHOL C9-11 ETHOXYLATE****Acute toxicity - oral**

ATE oral (mg/kg) 500.0

DIPROPYLENE GLYCOL n-BUTYL ETHER**Acute toxicity - oral**Acute toxicity oral (LD₅₀ mg/kg) 3,160.0

Species Rat

ATE oral (mg/kg) 3,160.0

Acute toxicity - dermalAcute toxicity dermal (LD₅₀ mg/kg) 2,001.0

Species Rat

SECTION 12: Ecological Information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity**Acute aquatic toxicity**

Acute toxicity - fish Not determined.

Ecological information on ingredients.**2-BUTOXYETHANOL****Acute aquatic toxicity**Acute toxicity - fish LC₅₀, 96 hours: 820 - 1490 mg/l, FishAcute toxicity - aquatic invertebrates EC₅₀, 48 hours: 835 - 1550 mg/l, Daphnia magnaAcute toxicity - aquatic plants IC₅₀, 72 hours: 1840 mg/l, Algae**DISODIUM METASILICATE****Acute aquatic toxicity**Acute toxicity - fish LC₅₀, 96 hours: 180 mg/l, Brachydanio rerio (Zebra Fish)Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 1700 mg/l, Daphnia magnaAcute toxicity - aquatic plants EC₅₀, 72 hours: 207 mg/l, Scenedesmus subspicatus**tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate****Acute aquatic toxicity**Acute toxicity - fish LC₅₀, 96 hours: > 100 mg/l, Oncorhynchus mykiss (Rainbow trout)

BUSTER

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: > 100 mg/l, Daphnia magna

Alcohols, C12-C14 (even numbered), ethoxylated<2.5EO, sulphates, sodium salts

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 7.1 mg/l, Brachydanio rerio (Zebra Fish)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 7.4 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 72 hours: 27 mg/l, Scenedesmus subspicatus

ALCOHOL C9-11 ETHOXYLATE

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 57 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 2.5 mg/l, Daphnia magna

DIPROPYLENE GLYCOL n-BUTYL ETHER

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 841 mg/l,

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: > 1000 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

BUSTER

Special Provisions note

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Control of Substances Hazardous to Health Regulations 2002 (as amended).

EU legislation

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Commission Regulation (EU) No 453/2010 of 20 May 2010.

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Guidance

Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

SECTION 16: Other information

BUSTER

Abbreviations and acronyms used in the safety data sheet	<p>ATE: Acute Toxicity Estimate.</p> <p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>CAS: Chemical Abstracts Service.</p> <p>DNEL: Derived No Effect Level.</p> <p>EC₅₀: 50% of maximal Effective Concentration.</p> <p>IATA: International Air Transport Association.</p> <p>IMDG: International Maritime Dangerous Goods.</p> <p>LC₅₀: Lethal Concentration to 50 % of a test population.</p> <p>LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).</p> <p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>PNEC: Predicted No Effect Concentration.</p> <p>REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.</p> <p>UN: United Nations.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p>
Classification abbreviations and acronyms	<p>Acute Tox. = Acute toxicity</p> <p>Aquatic Chronic = Hazardous to the aquatic environment (chronic)</p> <p>Eye Dam. = Serious eye damage</p> <p>Eye Irrit. = Eye irritation</p> <p>Met. Corr. = Corrosive to metals</p> <p>Skin Corr. = Skin corrosion</p> <p>STOT SE = Specific target organ toxicity-single exposure</p>
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	17/08/2018
Revision	3.2
Supersedes date	08/03/2017
SDS number	24691
Hazard statements in full	<p>H290 May be corrosive to metals.</p> <p>H302 Harmful if swallowed.</p> <p>H312 Harmful in contact with skin.</p> <p>H314 Causes severe skin burns and eye damage.</p> <p>H315 Causes skin irritation.</p> <p>H318 Causes serious eye damage.</p> <p>H319 Causes serious eye irritation.</p> <p>H332 Harmful if inhaled.</p> <p>H335 May cause respiratory irritation.</p> <p>H412 Harmful to aquatic life with long lasting effects.</p>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.