



NIELSEN

SAFETY DATA SHEET F3 RESTORE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name F3 RESTORE
Internal identification L720

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cutting fluid.
Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier NIELSEN CHEMICALS
RAWDON ROAD
MOIRA
SWADLINCOTE
DERBYSHIRE
DE12 6DA
TEL: +44 (0) 1283 222277
FAX: +44 (0) 1283 225731
info@nielsenchemicals.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 777 8505 330 (24 hrs). +44 (0) 1865 407333 (24 hrs). MEDICAL AND ENVIRONMENTAL EMERGENCIES ONLY.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Eye Irrit. 2 - H319
Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word Warning
Hazard statements H319 Causes serious eye irritation.
Precautionary statements P280 Wear protective gloves, eye and face protection.
P501 Dispose of contents/ container in accordance with national regulations.

F3 RESTORE

Supplemental label information

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients
3.2. Mixtures

WHITE OIL	10-30%
CAS number: 8042-47-5	EC number: 232-455-8
	REACH registration number: 01-2119487078-27-xxxx
Classification Asp. Tox. 1 - H304	Classification (67/548/EEC or 1999/45/EC) Xn;R65.
HYDROCARBONS, C11-14, n-ALKANES, ISOALKANES, CYCLICS <2% AROMATICS	10-30%
CAS number: —	EC number: 926-141-6
	REACH registration number: 01-2119456620-43-xxxx
Classification Asp. Tox. 1 - H304	Classification (67/548/EEC or 1999/45/EC) Xn;R65. R66.
ALUMINA POWDER	10-30%
CAS number: 1344-28-1	EC number: 215-691-6
Classification Not Classified	Classification (67/548/EEC or 1999/45/EC) -
ALUMINA POWDER	5-10%
CAS number: 1344-28-1	EC number: 215-691-6
Classification Not Classified	Classification (67/548/EEC or 1999/45/EC) -
ISOTRIDECANOL ETHOXYLATE (EO 3 - 5)	1-5%
CAS number: 24938-91-8	
Classification Eye Dam. 1 - H318	Classification (67/548/EEC or 1999/45/EC) Xi;R41.
2,2',2"-NITRILOTRIETHANOL	1-5%
CAS number: 102-71-6	EC number: 203-049-8
	REACH registration number: 01-2119486482-31-0000
Classification Not Classified	Classification (67/548/EEC or 1999/45/EC) -

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

F3 RESTORE

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention.
Skin contact	Rinse with water. Get medical attention if any discomfort continues.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention if symptoms are severe or persist after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Coughing, chest tightness, feeling of chest pressure.
Ingestion	Gastrointestinal symptoms, including upset stomach.
Skin contact	Repeated exposure may cause skin dryness or cracking.
Eye contact	Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with the following media: Foam, carbon dioxide or dry powder.
-------------------------------------	--

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Ammonia or amines. Carbon monoxide (CO). Carbon dioxide (CO ₂). Nitrous gases (NO _x).
--------------------------------------	--

5.3. Advice for firefighters

Protective actions during firefighting	Cool containers exposed to flames with water until well after the fire is out.
---	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Avoid contact with skin, eyes and clothing. Do not touch or walk into spilled material. Provide adequate ventilation. Take care as floors and other surfaces may become slippery. Avoid contact with contaminated tools and objects. Do not handle broken packages without protective equipment. Wash thoroughly after dealing with a spillage.
-----------------------------	--

6.2. Environmental precautions

Environmental precautions	Do not discharge into drains or watercourses or onto the ground.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Wash thoroughly after dealing with a spillage.
--------------------------------	--

F3 RESTORE

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective gloves, eye and face protection. Provide adequate ventilation. Avoid contact with skin, eyes and clothing. Do not empty into drains. Do not eat, drink or smoke when using this product. Do not handle broken packages without protective equipment. Do not use in paint spraying equipment. Do not reuse empty containers. Wash skin thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store at temperatures between 4°C and 40°C.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

HYDROCARBONS, C11-14, n-ALKANES, ISOALKANES, CYCLICS <2% AROMATICS

Long-term exposure limit (8-hour TWA): WEL 1000 mg/m³

ALUMINA POWDER

Long-term exposure limit (8-hour TWA): 10 mg/m³

ALUMINA POWDER

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³

WEL = Workplace Exposure Limit

2,2',2"-NITRILOTRIETHANOL (CAS: 102-71-6)

DNEL	<p>Workers - Inhalation; Long term systemic effects: 5.0 mg/m³</p> <p>Workers - Inhalation; Long term local effects: 5.0 mg/m³</p> <p>Workers - Dermal; Long term systemic effects: 6.3 mg/kg/day</p> <p>General population - Inhalation; Long term systemic effects: 1.25 mg/m³</p> <p>General population - Inhalation; Long term local effects: 1.25 mg/m³</p> <p>General population - Dermal; Long term systemic effects: 3.1 mg/kg/day</p> <p>General population - Oral; Long term systemic effects: 13.0 mg/kg/day</p>
PNEC	<p>- Fresh water; 0.32 mg/l</p> <p>- Marine water; 0.032 mg/l</p> <p>- Intermittent release; 5.12 mg/l</p> <p>- STP; 10.0 mg/l</p> <p>- Sediment (Freshwater); 1.7 mg/kg</p> <p>- Sediment (Marinewater); 0.17 mg/kg</p> <p>- Soil; 0.151 mg/kg</p>

8.2. Exposure controls

F3 RESTORE

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. The selected gloves should have a breakthrough time of at least 4 hours. The breakthrough time for any glove material may be different for different glove manufacturers. When used with mixtures, the protection time of gloves cannot be accurately estimated. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. It should be noted that liquid may penetrate the gloves. Glove thickness is not necessarily a good measure of glove resistance as the permeation rate will depend on the exact glove composition. The choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. Repeated exposure to chemicals will degrade the ability of the glove to provide resistance to chemicals. Specific work environments and material handling practices may vary, therefore safety procedures should be developed for each intended application. For work of short duration or where a high degree of manual dexterity is needed, use protective gloves made of: Nitrile rubber. Thickness: > 0.46 mm Neoprene. Thickness: > 0.54 mm

Hygiene measures

Wash hands thoroughly after handling.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Viscous liquid.
Colour	White.
Odour	Hydrocarbons.
pH	Not applicable.
Relative density	1.1 @ 20°C
Solubility(ies)	Emulsible in water.
Viscosity	60,000 cP @ 20°C

9.2. Other information

Other information	Not determined.
-------------------	-----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

F3 RESTORE

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not determined.

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion products may include the following substances: Ammonia or amines. Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrous gases (NO_x).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Inhalation Coughing, chest tightness, feeling of chest pressure.

Ingestion Gastrointestinal symptoms, including upset stomach.

Skin contact Repeated exposure may cause skin dryness or cracking.

Eye contact Causes serious eye irritation.

Toxicological information on ingredients.

WHITE OIL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 5,000.0

Species Rat

ATE oral (mg/kg) 5,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,000.1

Species Rabbit

ATE dermal (mg/kg) 2,000.1

HYDROCARBONS, C11-14, n-ALKANES, ISOALKANES, CYCLICS <2% AROMATICS

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 5,000.0

Species Rat

ATE oral (mg/kg) 5,000.0

Acute toxicity - dermal

F3 RESTORE

Acute toxicity dermal (LD₅₀ 5,000.0 mg/kg)

Species Rabbit

ATE dermal (mg/kg) 5,000.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 5,001.0

Species Rat

ATE inhalation (vapours mg/l) 5,001.0

2,2',2"-NITRILOTRIETHANOL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 5,001.0

Species Rat

ATE oral (mg/kg) 5,001.0

SECTION 12: Ecological Information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish Not determined.

Ecological information on ingredients.

HYDROCARBONS, C11-14, n-ALKANES, ISOALKANES, CYCLICS <2% AROMATICS

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: > 1000 mg/l, Onchorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: > 1000 mg/l, Daphnia magna
EC₅₀, 48 hours: >250ppm mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, 72 hours: 20ppm mg/l, Algae

ISOTRIDECANOL ETHOXYLATE (EO 3 - 5)

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 1 - 10 mg/l mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 1 -10 mg/l mg/l, Daphnia magna

2,2',2"-NITRILOTRIETHANOL

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: < 7900 mg/l,

F3 RESTORE

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: > 2500 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, 72 hours: 216 mg/l,

12.2. Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility The product is miscible with water and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

Special Provisions note

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

F3 RESTORE

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Control of Substances Hazardous to Health Regulations 2002 (as amended).
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Commission Regulation (EU) No 2015/830 of 28 May 2015.
Guidance	Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	ATE: Acute Toxicity Estimate. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods. LC ₅₀ : Lethal Concentration to 50 % of a test population. LD ₅₀ : Lethal Dose to 50% of a test population (Median Lethal Dose). PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. vPvB: Very Persistent and Very Bioaccumulative. EC ₅₀ : 50% of maximal Effective Concentration. UN: United Nations.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	16/06/2017
Revision	2.2
Supersedes date	24/09/2015
SDS number	25474
Risk phrases in full	Not classified. R41 Risk of serious damage to eyes. R65 Harmful: may cause lung damage if swallowed. R66 Repeated exposure may cause skin dryness or cracking.
Hazard statements in full	H304 May be fatal if swallowed and enters airways. H318 Causes serious eye damage. H319 Causes serious eye irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.