



NIELSEN

SAFETY DATA SHEET WAX RINSE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name WAX RINSE

Internal identification L860

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Rinse aid

Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier

NIELSEN CHEMICALS
 RAWDON ROAD
 MOIRA
 SWADLINCOTE
 DERBYSHIRE
 DE12 6DA
 info@nielsenchemicals.com
 TEL: +44 (0) 1283 222277
 FAX: +44 (0) 1283 225731

1.4. Emergency telephone number

Emergency telephone +44 (0) 777 8505 330 (24 hrs). +44 (0) 1865 407333 (24 hrs). MEDICAL AND ENVIRONMENTAL EMERGENCIES ONLY.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Environmental hazards Aquatic Acute 1 - H400

Classification (67/548/EEC or 1999/45/EC) Xi;R36. N;R50.

2.2. Label elements

Pictogram



Signal word

Danger

WAX RINSE

Hazard statements	H315 Causes skin irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic life. EUH208 Contains METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6. May produce an allergic reaction.
Precautionary statements	P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P501 Dispose of contents/ container in accordance with national regulations. P280 Wear protective clothing, gloves, eye and face protection.
Contains	DICOCODIMETHYLAMMONIUM CHLORIDE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

WHITE OIL	5-10%
CAS number: 8042-47-5	EC number: 232-455-8
	REACH registration number: 01-2119487078-27-xxxx
Classification Asp. Tox. 1 - H304	Classification (67/548/EEC or 1999/45/EC) Xn;R65.
DICOCODIMETHYLAMMONIUM CHLORIDE	1-5%
CAS number: 61789-77-3	EC number: 263-087-6
M factor (Acute) = 10	
Classification Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400	Classification (67/548/EEC or 1999/45/EC) Xn;R22. C;R34. N;R50.
ISOTRIDECANOL ETHOXYLATE	1-5%
CAS number: 69011-36-5	EC number: 500-241-6
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318	Classification (67/548/EEC or 1999/45/EC) Xn;R22. Xi;R41.
ISOTRIDECANOL ETHOXYLATE (EO 3 - 5)	1-5%
CAS number: 24938-91-8	
Classification Eye Dam. 1 - H318	Classification (67/548/EEC or 1999/45/EC) Xi;R41.

WAX RINSE

C13-15 ALCOHOL ETHOXYLATE 7EO <1%		
CAS number: 157627-86-6		
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412	Classification (67/548/EEC or 1999/45/EC) Xn;R22. Xi;R41. N;R50.	
Quaternary ammonium compounds, C12-14-alkyltrimethyl, Me sulfates <1%		
CAS number: 96690-44-7	EC number: 306-238-4	
M factor (Acute) = 1		
Classification Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400	Classification (67/548/EEC or 1999/45/EC) Xn;R22. C;R34. N;R50.	
PROPAN-2-OL <1%		
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01-2119457558-25-xxxx
Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336	Classification (67/548/EEC or 1999/45/EC) F;R11 Xi;R36 R67	
PROPANE-1,2-DIOL <1%		
CAS number: 57-55-6	EC number: 200-338-0	REACH registration number: 01-2119456809-23-XXXX
Classification Not Classified	Classification (67/548/EEC or 1999/45/EC) -	

WAX RINSE

METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6	<1%
CAS number: 55965-84-9	
M factor (Acute) = 10 M factor (Chronic) = 10	
Classification	Classification (67/548/EEC or 1999/45/EC)
Acute Tox. 3 - H301	T;R23/24/25 C;R34 R43 N;R50/53
Acute Tox. 3 - H311	
Acute Tox. 3 - H331	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Show this Safety Data Sheet to the medical personnel.
Inhalation	If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Rinse with water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Coughing, chest tightness, feeling of chest pressure.
Ingestion	May cause discomfort if swallowed.
Skin contact	Causes skin irritation. May cause skin sensitisation or allergic reactions in sensitive individuals.
Eye contact	Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Ammonia or amines. Carbon monoxide (CO). Carbon dioxide (CO ₂). Chlorides. Nitrous gases (NO _x). Sulphurous gases (SO _x).
--------------------------------------	--

5.3. Advice for firefighters

WAX RINSE

Protective actions during firefighting No specific firefighting precautions known.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Provide adequate ventilation. Avoid contact with skin, eyes and clothing. Do not touch or walk into spilled material. Take care as floors and other surfaces may become slippery. Avoid contact with contaminated tools and objects. Do not handle broken packages without protective equipment. Wash thoroughly after dealing with a spillage.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Very toxic to aquatic life.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective gloves, eye and face protection. Avoid contact with skin, eyes and clothing. Use only outdoors or in a well-ventilated area. Provide adequate ventilation. Avoid breathing spray. Avoid release to the environment. Avoid contact with contaminated tools and objects. Do not empty into drains. Do not eat, drink or smoke when using this product. Do not reuse empty containers. Do not use in paint spraying equipment. Do not handle broken packages without protective equipment. Wash skin thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store at temperatures between 4°C and 40°C.

Storage class Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³

Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

PROPANE-1,2-DIOL

Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m³

WEL = Workplace Exposure Limit

WAX RINSE

DICOCODIMETHYLAMMONIUM CHLORIDE (CAS: 61789-77-3)

DNEL Industry - Dermal; Long term systemic effects: 12.75
 Industry - Inhalation; Long term systemic effects: 27 mg/m³
 Consumer - Dermal; Long term systemic effects: 7.65 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 8
 Consumer - Oral; Long term systemic effects: 2.3 mg/kg/day

PNEC Industry - Fresh water; 0.013
 Industry - Marine water; 0.013 mg/l
 Industry - STP; 1.2 mg/l
 Industry - Sediment (Freshwater); 8.8 mg/kg
 Industry - Sediment (Marinewater); 0.88 mg/kg
 Industry - Soil; 7 mg/kg

ISOTRIDECANOL ETHOXYLATE (CAS: 69011-36-5)

DNEL Workers - Inhalation; Long term systemic effects: 294 mg/m³
 Workers - Dermal; Long term systemic effects: 2080 mg/kg/day
 General population - Inhalation; Long term systemic effects: 87 mg/m³
 General population - Dermal; Long term systemic effects: 1250 mg/kg/day
 General population - Oral; Long term systemic effects: 25 mg/kg/day

PNEC - Fresh water; 0.074 mg/l
 - Marine water; 0.0074 mg/l
 - STP; 1.4 mg/l
 - Sediment (Freshwater); 0.604 mg/kg
 - Sediment (Marinewater); 0.0604 mg/kg
 - Soil; 0.1 mg/kg

PROPAN-2-OL (CAS: 67-63-0)

DNEL Industry - Dermal; Long term systemic effects: 888 mg/kg/day
 Industry - Inhalation; Long term systemic effects: 500 mg/m³
 Consumer - Dermal; Long term systemic effects: 319 mg/kg/day
 Consumer - Oral; Long term systemic effects: 26 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 89 mg/m³

PNEC - Fresh water; 140.9 mg/l
 - Marine water; 140.9 mg/l
 - Intermittent release; 140.9 mg/l
 - Sediment (Freshwater); 552 mg/kg
 - Sediment (Marinewater); 552 mg/kg
 - STP; 2251 mg/l
 - Soil; 28 mg/kg

PROPANE-1,2-DIOL (CAS: 57-55-6)

DNEL Industry - Inhalation; Long term systemic effects: 168 mg/m³
 Consumer - Inhalation; Long term systemic effects: 50 mg/m³
 Industry - Inhalation; Long term local effects: 10 mg/m³
 Consumer - Inhalation; Long term local effects: 10 mg/m³

WAX RINSE

PNEC

- Fresh water; 260 mg/l
- Marine water; 26 mg/l
- STP; 20000 mg/l
- Sediment (Freshwater); 572 mg/kg
- Sediment (Marinewater); 57.2 mg/kg
- Soil; 50 mg/kg
- Intermittent release; 183 mg/l

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374. The selected gloves should have a breakthrough time of at least 4 hours. The breakthrough time for any glove material may be different for different glove manufacturers. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Nitrile rubber. Thickness: 0.28 mm
Rubber (natural, latex). Thickness: 0.48 mm Neoprene. Thickness: 0.67 mm

Hygiene measures

Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Pink.
Odour	Mild.
pH	pH (concentrated solution): 6.00
Relative density	0.984 @ 25°C
Solubility(ies)	Emulsifiable in water.

9.2. Other information

Other information	Not determined.
-------------------	-----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

WAX RINSE

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not determined.

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion products may include the following substances: Ammonia or amines. Carbon monoxide (CO). Carbon dioxide (CO₂). Chlorides. Nitrous gases (NO_x). Sulphurous gases (SO_x).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 7,023.65

Inhalation Coughing, chest tightness, feeling of chest pressure.

Ingestion May cause discomfort.

Skin contact Causes skin irritation. May cause skin sensitisation or allergic reactions in sensitive individuals.

Eye contact Causes serious eye damage.

WHITE OIL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 5,000.0

Species Rat

ATE oral (mg/kg) 5,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,000.1

Species Rabbit

ATE dermal (mg/kg) 2,000.1

DICOCODIMETHYLAMMONIUM CHLORIDE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 301.0

Species Rat

WAX RINSE

Notes (oral LD₅₀) Estimated value.
ATE oral (mg/kg) 301.0

ISOTRIDECANOL ETHOXYLATE

Acute toxicity - oral

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 8,430.0
mg/kg)

Species Rabbit

ATE dermal (mg/kg) 8,430.0

C13-15 ALCOHOL ETHOXYLATE 7EO

Acute toxicity - oral

ATE oral (mg/kg) 555.56

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,001.0
mg/kg)

Species Rat

ATE dermal (mg/kg) 2,001.0

PROPAN-2-OL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 4,700.0
mg/kg)

Species Rat

ATE oral (mg/kg) 4,700.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 16.4
mg/kg)

Species Rabbit

PROPANE-1,2-DIOL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 20,000.0
mg/kg)

Species Rat

ATE oral (mg/kg) 20,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,001.0
mg/kg)

WAX RINSE

Species Rabbit

ATE dermal (mg/kg) 2,001.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 317.0

Species Rabbit

ATE inhalation (vapours mg/l) 317.0

METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6**Acute toxicity - oral**

Acute toxicity oral (LD₅₀ mg/kg) 53.0

Species Rat

Notes (oral LD₅₀) Estimated value.

ATE oral (mg/kg) 53.0

Acute toxicity - dermal

ATE dermal (mg/kg) 300.0

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 3.0

Skin sensitisation

Skin sensitisation Guinea pig maximization test (GPMT) - Guinea pig: Sensitising.

SECTION 12: Ecological Information

Ecotoxicity Very toxic to aquatic life.

12.1. Toxicity

Acute toxicity - fish Not determined.

DICOCODIMETHYLAMMONIUM CHLORIDE**Acute aquatic toxicity**

LE(C)₅₀ 0.01 < L(E)C₅₀ ≤ 0.1

M factor (Acute) 10

Acute toxicity - fish LC₅₀, 96 hours: ~ 0.1 - 1.0 mg/l, Brachydanio rerio (Zebra Fish)

Acute toxicity - aquatic invertebrates , 48 hours: ~ 0.1 - 1.0 mg/l, Freshwater invertebrates

Acute toxicity - microorganisms , 3 hours: > 10 - 100 mg/l, Activated sludge

ISOTRIDECANOL ETHOXYLATE

WAX RINSE

Acute toxicity - fish	LC ₅₀ , 96 hours: >1 - 10 mg/l, Algae
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: >1 - 10 mg/l, Daphnia magna

ISOTRIDECANOL ETHOXYLATE (EO 3 - 5)

Acute toxicity - fish	LC ₅₀ , 96 hours: 1 - 10 mg/l mg/l, Algae
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 1 -10 mg/l mg/l, Daphnia magna

C13-15 ALCOHOL ETHOXYLATE 7EO

Chronic toxicity - aquatic invertebrates	NOEC, : 0.1 - <1 mg/l, Freshwater invertebrates Supplier's information.
---	--

Quaternary ammonium compounds, C12-14-alkyltrimethyl, Me sulfates

Acute aquatic toxicity

LE(C)₅₀	0.1 < L(E)C ₅₀ ≤ 1
M factor (Acute)	1
Acute toxicity - fish	LC ₅₀ , 96 hours: 10 - 100 mg/l, Algae

PROPAN-2-OL

Acute toxicity - fish	LC ₅₀ , 96 hours: 9640 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	LC ₅₀ , 24 hours: 9714 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: > 100 mg/l, Scenedesmus subspicatus

PROPANE-1,2-DIOL

Acute toxicity - fish	LC ₅₀ , 96 hours: 40613 mg/l, Onchorhynchus mykiss (Rainbow trout)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: > 4000 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 96 hours: 19000 mg/l, Selenastrum capricornutum

METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6

Acute aquatic toxicity

LE(C)₅₀	0.01 < L(E)C ₅₀ ≤ 0.1
M factor (Acute)	10
Acute toxicity - fish	Estimated value. LC ₅₀ , 96 hours: 13 mg/l, Algae

Chronic aquatic toxicity

NOEC	0.001 < NOEC ≤ 0.01
-------------	---------------------

WAX RINSE

Degradability	Non-rapidly degradable
M factor (Chronic)	10

12.2. Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.

SECTION 14: Transport information

Special Provisions note

14.1. UN number

UN No. (ADR/RID)	3082
UN No. (IMDG)	3082
UN No. (ICAO)	3082

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dicocodimethylammonium chloride)
Proper shipping name (IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dicocodimethylammonium chloride)
Proper shipping name (ICAO)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dicocodimethylammonium chloride)

14.3. Transport hazard class(es)

ADR/RID class	9
IMDG class	9
ICAO class/division	9

14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III

WAX RINSE

ICAO packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78
and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Control of Substances Hazardous to Health Regulations 2002 (as amended).
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Commission Regulation (EU) No 2015/830 of 28 May 2015.
Guidance	Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	ATE: Acute Toxicity Estimate. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods. LC ₅₀ : Lethal Concentration to 50 % of a test population. LD ₅₀ : Lethal Dose to 50% of a test population (Median Lethal Dose). PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. vPvB: Very Persistent and Very Bioaccumulative. EC ₅₀ : 50% of maximal Effective Concentration. NOEC: No Observed Effect Concentration.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	09/03/2017
Revision	3.0
Supersedes date	14/09/2015
SDS number	24756

WAX RINSE

Risk phrases in full

Not classified.
R11 Highly flammable.
R22 Harmful if swallowed.
R34 Causes burns.
R36 Irritating to eyes.
R41 Risk of serious damage to eyes.
R50 Very toxic to aquatic organisms.
R65 Harmful: may cause lung damage if swallowed.
R67 Vapours may cause drowsiness and dizziness.

Hazard statements in full

H225 Highly flammable liquid and vapour.
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
EUH208 Contains METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.